

NOPYL ACETATE

WOODY, SWEET, FRUITY, FLORAL


BIOBASED 79%

APPLICATION INFORMATION

Used mainly in citrus, orange-flower and fougères. Widely used in household fragrances.

CHEMICAL STRUCTURE

2-(6,6-Dimethylbicyclo[3.1.1]hept-2-en-2-yl)ethyl acetate



Chemical formula - $C_{13}H_{20}O_2$

SYNONYM

Nopyl acetate

TENACITY ON BLOTTER

00

HOURS

> 02

DAYS

00

WEEKS

BLOOM DIFFUSIVITY



POOR



FAIR




GOOD



VERY

TYPICAL USE LEVEL



ODOR TYPE - WOODY

OCCURENCE IN NATURE

Not found in nature.

TYPICAL PHYSICAL PROPERTIES

- Flash Point °C	95 °C
- $[\alpha]_D^{20}$ minimum	-
- GC	98% min. as Nopyl Acetate
- Appearance	Colorless to pale yellow liquid
- CAS No.	128-51-8
- M.W.	208.30
- FEMA / GRAS No.	-
- Food Grade Cert.	-
- CLogP	4.30
- Vapor Pressure	1.190 Pa at 25°C

PROPERTIES

	STABILITY	POOR	FAIR	GOOD
- Hypochlorite bleach		●		
- Perborate Powder Detergent		●		
- Liquid Detergent				●
- Concentrated Fabric Softeners				●
- Soaps				●
- Alcoholic fine fragrances				●
- Toiletry Applications				●
- Antiperspirants				●
	SUBSTANTIVITY	POOR	FAIR	GOOD
- Skin			●	
- Dry Fabric			●	
- Wet Fabric			●	
- Hair			●	